

Navigating & Searching Data Grid For Micad Assets



This guide offers a comprehensive overview of navigating and searching the Micad Assets data grid, making it essential for users looking to efficiently manage and locate assets. It covers key functionalities such as scaling, pagination, and advanced search techniques, ensuring users can filter and sort data effectively. By mastering these skills, users can streamline their workflow and enhance their asset management experience. Whether you're new to the platform or seeking to optimize your usage, this guide is a valuable resource.

Scaling & Pagination

1

In this guide, we are going to look at the new features on how to navigate the new grid for this module Micad assets. To begin. The new page allows you to scale to your preferred viewing. You can zoom in or zoom out. In the bottom right-hand corner, there is pagination. This will allow you to choose the number of records on display. You can navigate next page, last page, previous page and first page. Change the number of records on screen by clicking here.

DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION	SITE	BUI
Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	Tartarian Empire	Lost world	Chil
Fire Door - 00003	Expired	Fire Doors	VENTIL. ALARM PNEUMATIC	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc34	Jason	built
Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Recr
Fire Door - 00017	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Recr

Rows per page: 25 | 1 - 25 of 84,155 | < 1 2 3 ... 3367 > >>

2 You can choose between 50, 100, 250, and 500 records at a time.

DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION	SITE	BUI
Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	Tartarian Empire	Lost world	Chil
Fire Door - 00003	Expired	Fire Doors	VENTIL. ALARM PNEUMATIC	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc34	Jason	buil
Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00017	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec

Rows per page: 25 1 - 25 of 84,155

3 This will then directly affect the number of pages available for you to move through.

DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION	SITE	BUI
Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	Tartarian Empire	Lost world	Chil
Fire Door - 00003	Expired	Fire Doors	VENTIL. ALARM PNEUMATIC	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc34	Jason	buil
Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec
Fire Door - 00017	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.oss Hall Hospital	Ross Hall Hospital Main	Rec

Rows per page: 50 1 - 50 of 84,155

Inline & General Search

4

Using the search box atop each column. This is the new inline searching, allowing you to type characters and search for content within the data. In this example, we will type 'fir' and it will bring back all the results containing 'fir'.

The screenshot shows the 'Asset Register' page in the 'micadpro' application. The page has a sidebar with 'Asset Register' and 'Configuration' options. The main content area displays a table of assets. At the top, there is a search bar with the text 'Try searching Description contains Fire Alarm and Building is Main Block'. Below this, there are filters for 'All Assets' (84,155), 'Individual Assets' (84,015), and 'Asset Groups' (140). The table has columns for ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. Each column header has a search box with the word 'Search' inside. A yellow circle highlights the search box in the DESCRIPTION column. The table lists 12 assets, all of which are 'Fire Door' units with various statuses like 'Stolen', 'Expired', 'Broken', and 'Existing/In Use'.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
2	Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	Tartarian Empir
3	Fire Door - 00003	Expired	Fire Doors	VENTIL. ALARM PNEUMATIC	R.oss Hall Hosj
4	Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C.TestRegionLc
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.oss Hall Hosj
6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.oss Hall Hosj
7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hosj
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.oss Hall Hosj
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.oss Hall Hosj
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.oss Hall Hosj
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.oss Hall Hosj
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.oss Hall Hosj

5

ID	DESCRIPTION
<input type="text" value="Search"/>	<input type="text" value="fir"/>
2	Fire Door - 00097
3	Fire Door - 00109
6	Fire Door - 00012
7	Fire Door - 00112
13	00002-Auxiliary Fire Equipment Power Supply
30	Fire Door External - 00205
101	Fire Door - 00127
198	00821-First floor doctors corridor door 53
520	Fire Door - 00145
571	00501-Fire alarm panel
2999	V00653-Fire Alarm Bell Siren
3000	Fire Door - 00066
3001	Fire Door - 00018
3002	00509-Fire alarm panel
3003	00325-Fire Alarm Interface - 1-48-Z2
	Fire Door - 00061
	Fire Door - 00063
	Fire Door - 00025

6

Then continue by typing 'Fire Door' You can hit enter and the results will be filtered. On the status column, as this is a multi-select, again you can search in this case for existing options and then choose the options you like.

7

STATUS		TYPE
<input type="checkbox"/>	Search ^	Search
<input type="checkbox"/>	Select All	re Doors
<input type="checkbox"/>	Existing/In Use	re Doors
<input type="checkbox"/>	Disposed	ir Handling Unit
<input type="checkbox"/>	Stolen	re Doors
<input type="checkbox"/>	Broken	re Door - 30min
<input type="checkbox"/>	Existing / Not In Us	ressure Vessel on D
<input type="checkbox"/>	Expired	ir Handling Unit
<input type="checkbox"/>	NWWAS	re Door - 30min
<input type="checkbox"/>	IS BLANK	re Door - 60min
<input checked="" type="checkbox"/>	Existing/In Use	assenger Lift
<input type="checkbox"/>	Extractor Fan	

8

STATUS		TYPE
<input type="checkbox"/>	ex ^	Search
<input type="checkbox"/>	Existing/In Use	re Do
<input type="checkbox"/>	Existing / Not In Us	re Do
<input type="checkbox"/>	Expired	ir Han
<input checked="" type="checkbox"/>	Expired	Fire Do

9

select by ticking the boxes of the values you want to filter on

The screenshot shows the 'Asset Register' interface. At the top, there is a search filter: 'x (Description) contains (fire door)'. Below the filter, there are tabs for 'All Assets' (84,155), 'Individual Assets' (84,015), and 'Asset Groups' (140). The main table has columns: ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. A search box is present in the DESCRIPTION column with the text 'fire door'. In the STATUS column, there is a dropdown menu with 'existing' selected. A yellow circle highlights the checkboxes in the STATUS column for rows 2 and 3. Row 2 has a checked checkbox, and row 3 has an unchecked checkbox.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
2	Fire Door - 00002	<input checked="" type="checkbox"/> Existing/In Use	Fire Doors	RESUSCITATOR RESPIRATRY	Tartarian Empire
3	Fire Door - 00003	<input type="checkbox"/> Existing / Not In Use	Doors	VENTIL. ALARM PNEUMATIC	R.oss Hall Hospital
4	Fire Door - 00004	<input type="checkbox"/> Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C_TestRegion.Loc34
5	Fire Door - 00005	<input type="checkbox"/> Broken	Fire Doors	BOYLES MACHINE	R.oss Hall Hospital
6	Fire Door - 00006	<input type="checkbox"/> Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.oss Hall Hospital
7	Fire Door - 00007	<input type="checkbox"/> Expired	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital
8	Fire Door - 00008	<input type="checkbox"/> Existing/In Use	Fire Doors	TestAV-ST	R.oss Hall Hospital
9	Fire Door - 00009	<input type="checkbox"/> Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.oss Hall Hospital
10	Fire Door - 00010	<input type="checkbox"/> Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.oss Hall Hospital
11	Fire Door - 00011	<input type="checkbox"/> Existing/In Use	Fire Door - 60min	INCUBATOR	R.oss Hall Hospital
12	Fire Door - 00012	<input type="checkbox"/> Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.oss Hall Hospital

10

You can also search multiple columns using the natural language search box found at the top of the screen.

11

Click into the box and start typing a column name. In this example, type 'desc' for the description. Click on the column name. It will then ask you to type the value you are looking for in this field. In this example, we will type 'fire.' Press enter, and if you choose, you can select more columns.

The screenshot shows the 'Asset Register' page in the 'micadpro' application. The search bar at the top contains the filter: 'Try searching Description contains Fire Alarm and Building is Main Block'. Below the search bar, there are tabs for 'All Assets' (84,155), 'Individual Assets' (84,015), and 'Asset Groups' (140). The table below has columns for ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. The first few rows of the table are:

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
2	Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	Tartarian Empire
3	Fire Door - 00003	Expired	Fire Doors	VENTIL. ALARM PNEUMATIC	R.oss Hall Hospiti
4	Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc3
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.oss Hall Hospiti
6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.oss Hall Hospiti
7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospiti
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.oss Hall Hospiti
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.oss Hall Hospiti
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.oss Hall Hospiti
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.oss Hall Hospiti
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.oss Hall Hospiti

12

Start to type the column name

The screenshot shows the 'Asset Register' page with the search bar containing 'desc'. A dropdown menu is open over the search bar, listing 'Description', 'Unit Description', and 'Circle Room Description'. The table below is the same as in the previous screenshot.

13

Asset Register

Viewing: Default

Create View

Description contains fire

14

Type the next column name e.g. status and this can be used the same way as above as if you were clicking on the column within the grid.

The screenshot shows the 'Asset Register' interface with a search filter 'Description contains fire and Status'. A dropdown menu is open over the 'Status' column, showing options: 'Select All', 'Existing/In Use', 'Disposed', 'Stolen', 'Broken', 'Existing / Not In Us', 'Expired', 'NWWAS', and 'IS BLANK'. The table below shows a list of assets with columns for Description, Status, Type, and Region. The 'Status' column contains values like 'Stolen', 'Expired', 'Broken', and 'Existing/In Use'.

DESCRIPTION	STATUS	TYPE	REGION	SITE
Fire Door - 00002	Stolen	Fire Door	Tartarian Empire	Lost world
Fire Door - 00003	Expired	Fire Door	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00004	Expired	Fire Door	C.TestRegionLoc34	Jason
Fire Door - 00005	Broken	Fire Door	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00006	Broken	Air Hand	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00007	Expired	Fire Door	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00008	Existing/In Use	Fire Doors	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00009	Existing/In Use	Air Handling Unit	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00010	Existing/In Use	Extractor Fan	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00011	Existing/In Use	Fire Door - 60min	R.oss Hall Hospital	Ross Hall Hospital Main
Fire Door - 00012	Existing/In Use	Air Handling Unit	R.oss Hall Hospital	Ross Hall Hospital Main

Using Show Shortcuts

15

Finally we can jump between a view showing all assets individual or asset groups using the buttons in the show area individual will show those assets are unique individual assets whereas selecting asset groups

The screenshot shows the 'Asset Register' page in the 'micadpro' application. The left sidebar contains 'Asset Register' and 'Configuration'. The main area has a search bar and a 'Viewing: Default' dropdown. Below the search bar, there are three buttons: 'All Assets 84,155', 'Individual Assets 84,015', and 'Asset Groups 140'. The 'Individual Assets' button is highlighted with a yellow circle. Below the buttons is a table with columns: ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. The table contains 12 rows of data, each with a vertical ellipsis icon on the left side of the ID column.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
2	Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	Tartarian Empir
3	Fire Door - 00003	Expired	Fire Doors	VENTIL. ALARM PNEUMATIC	R.loss Hall Hos
4	Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLc
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.loss Hall Hos
6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.loss Hall Hos
7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R.loss Hall Hos
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.loss Hall Hos
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.loss Hall Hos
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.loss Hall Hos
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.loss Hall Hos
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.loss Hall Hos

16

Those assets will have the group icon displayed at the end of their description.

The screenshot shows the 'Asset Register' page in the 'micadpro' application. The left sidebar contains 'Asset Register' and 'Configuration'. The main area has a search bar and a 'Viewing: Default' dropdown. Below the search bar, there are three buttons: 'All Assets 84,155', 'Individual Assets 84,015', and 'Asset Groups 14'. The 'Asset Groups' button is highlighted with a yellow circle. Below the buttons is a table with columns: ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. The table contains 14 rows of data, each with a vertical ellipsis icon on the left side of the ID column.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
4	Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLc
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.loss Hall Hos
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.loss Hall Hos
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.loss Hall Hos
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.loss Hall Hos
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.loss Hall Hos
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.loss Hall Hos
14	Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.loss Hall Hos
15	Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R.loss Hall Hos
16	Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R.loss Hall Hos
17	Fire Door - 00017	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R.loss Hall Hos

17

micadpro

Asset Register

Viewing: Default Create View

Try searching Description contains Fire Alarm and Building is Main Block

Show: All Assets 84,155 Individual Assets 84,015 Asset Groups 140

ID	DESCRIPTION	STATUS	TYPE
2	Fire Door - 0002	Stolen	Fire Doors
3	Fire Door - 0003	Expired	Fire Doors
6	Fire Door - 0006	Broken	Air Handling Unit
7	Fire Door - 0007	Expired	Fire Doors
13	Fire Door - 0013	Existing/In Use	Fire Door - 30min
30	Fire Door - 00031	Existing/In Use	Pressure Vessel on DHW He
101	Fire Door - 00116	Existing/In Use	Air Handling Unit
198	Virtual Asset System - Fire Doors Qty 197 - GF	Existing/In Use	Fire Door - 30min
520	0001-Main Fire Alarm Panel	Existing/In Use	Fire Door - 60min
571	00053-Hydraulic Separator	Existing/In Use	Passenger Lift
2999	Virtual Asset System-Qty 3-Air Handling Units-1F	Existing/In Use	Extractor Fan

Sorting

18

You can sort one columns worth of data in ascending or descending order. Hover the mouse over the column title and Click "arrow_upward" for ascending

micadpro

Asset Register

Viewing: Default Create View

Try searching Description contains Fire Alarm and Building is Main Block

Show: All Assets 84,155 Individual Assets 84,015 Asset Groups 140

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
2	Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATORY	Tartarian Empire
3	Fire Door - 00003	Expired	Fire Doors	VENTIL. ALARM PNEUMATIC	R.oss Hall Hospital
4	Fire Door - 00004	Expired	Fire Doors	ANAESTHETICS GEN EQUIP	C_TestRegionLoc34
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R.oss Hall Hospital
6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R.oss Hall Hospital
7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R.oss Hall Hospital
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R.oss Hall Hospital
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R.oss Hall Hospital
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R.oss Hall Hospital
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R.oss Hall Hospital
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R.oss Hall Hospital

19 and arrow down for descending

Current Application
Asset

Asset Register

Configuration

Asset Register

Viewing: Default Create View

Q Try searching Description contains Fire Alarm and Building is Main Block

Show All Assets **84,155**
Individual Assets **84,015**
Asset Groups **140**

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
430162	Test Asset	● Disposed	Passenger Lift	RESUSCITATION TROLLEY	Tartarian Empir
430160	Deepakkkkkkkkkkkkkkkkkkkkk	● Stolen	Extractor Fan		Tartarian Empir
430159	hvjvvvvvvvvvvvvvv	● NWWAS	Air Handling Unit	PULMONARY FUNCTION REC	R.loss Hall Hosj
430150	Fire Door - 00002	● Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	R.loss Hall Hosj
430149	wetret	● Disposed	Passenger Lift		R.loss Hall Hosj
430148	test24e232	● Existing/In Use	Passenger Lift		R.loss Hall Hosj
430147	resare	● Disposed	Pressure Vessel on DHW Heater		R.loss Hall Hosj
430134	testingbydeepak	● Expired	Kingsway House DVR	INCUBATOR	Tartarian Empir
430133	12345789jdcssssc	● Disposed	Air Handling Unit	RESUSCITATION TROLLEY	C..TestRegionLc
430131	deepaktesting12345677	● Existing/In Use	Fire Door - 30min	BOYLES MACHINE	Tartarian Empir
430130	Fire Door	● Existing/In Use	Fire Doors		R.loss Hall Hosj