

# Updating & Deleting Assets in Bulk



This guide offers a step-by-step approach to efficiently update and delete assets in bulk, making asset management more streamlined. It provides clarity on selecting multiple assets, editing fields, and confirming changes, ensuring users can manage their asset records effectively. By following these instructions, users can save time and minimize errors in their asset updates and deletions. Viewing this guide will empower you with the necessary skills to optimize your asset management process.

## Editing Assets

1

In this section of the guide, we're coming back to the grid to look at how we can use the selection capabilities to perform mass editing of certain fields and mass deletion of assets. To begin, select one asset. By putting the grid into selection mode, click on the three dots.

The screenshot shows the 'Asset Register' interface. On the left is a navigation sidebar with 'Asset Register' and 'Configuration'. The main area has a search bar and filters. Below the filters is a table with columns: ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. The table contains 13 rows of asset data. A yellow circle highlights the three-dot menu icon in the first column of the row with ID 7.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
4	Fire Door - 00004	Broken	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc34
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R..oss Hall Hospital
6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R..oss Hall Hospital
7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R..oss Hall Hospital
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R..oss Hall Hospital
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R..oss Hall Hospital
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R..oss Hall Hospital
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R..oss Hall Hospital
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R..oss Hall Hospital
13	Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R..oss Hall Hospital
14	Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R..oss Hall Hospital
15	Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R..oss Hall Hospital
16	Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R..oss Hall Hospital

## 2 Choose an asset clicking select.

Configuration

Viewing: Default Create View

Show: All Assets 84,153 Individual Assets 84,014 Asset Groups 139

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
4	Fire Door - 00004	Broken	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc34
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R..oss Hall Hospital
6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R..oss Hall Hospital
7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R..oss Hall Hospital
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R..oss Hall Hospital
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R..oss Hall Hospital
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R..oss Hall Hospital
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R..oss Hall Hospital
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R..oss Hall Hospital
13	Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R..oss Hall Hospital
14	Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R..oss Hall Hospital
15	Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R..oss Hall Hospital
16	Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R..oss Hall Hospital
17	Fire Door - 00017	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R..oss Hall Hospital

## 3 Select the other assets you wish to edit. **NOTE** Selection can only be done on one page at a time, meaning the maximum amount of records you can update at once is 500 if the page is set to display that many.

Show: All Assets 84,153 Individual Assets 84,014 Asset Groups 139

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION	
<input type="checkbox"/>	4	Fire Door - 00004	Broken	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc34
<input type="checkbox"/>	5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R..oss Hall Hospital
<input type="checkbox"/>	6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R..oss Hall Hospital
<input checked="" type="checkbox"/>	7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R..oss Hall Hospital
<input checked="" type="checkbox"/>	8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R..oss Hall Hospital
<input checked="" type="checkbox"/>	9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R..oss Hall Hospital
<input checked="" type="checkbox"/>	10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R..oss Hall Hospital
<input checked="" type="checkbox"/>	11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R..oss Hall Hospital
<input checked="" type="checkbox"/>	12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R..oss Hall Hospital
<input checked="" type="checkbox"/>	13	Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R..oss Hall Hospital
<input checked="" type="checkbox"/>	14	Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R..oss Hall Hospital
<input checked="" type="checkbox"/>	15	Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R..oss Hall Hospital
<input checked="" type="checkbox"/>	16	Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R..oss Hall Hospital
<input type="checkbox"/>	17	Fire Door - 00017	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R..oss Hall Hospital
<input type="checkbox"/>	18	Fire Door - 00018	Existing/In Use	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R..oss Hall Hospital

View Edit Delete

## 4 Click "Edit"

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION	
<input type="checkbox"/>	4	Fire Door - 00004	Broken	Fire Doors	ANAESTHETICS GEN EQUIP	C_TestRegionLoc34
<input type="checkbox"/>	5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R_oss Hall Hospital
<input type="checkbox"/>	6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R_oss Hall Hospital
<input checked="" type="checkbox"/>	7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R_oss Hall Hospital
<input checked="" type="checkbox"/>	8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R_oss Hall Hospital
<input checked="" type="checkbox"/>	9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R_oss Hall Hospital
<input checked="" type="checkbox"/>	10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R_oss Hall Hospital
<input checked="" type="checkbox"/>	11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R_oss Hall Hospital
<input checked="" type="checkbox"/>	12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R_oss Hall Hospital
<input checked="" type="checkbox"/>	13	Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R_oss Hall Hospital
<input checked="" type="checkbox"/>	14	Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R_oss Hall Hospital
<input checked="" type="checkbox"/>	15	Fire Door - 00015	Existing/In Use	Passenger Lift	RESUSCITATION TROLLEY	R_oss Hall Hospital
<input checked="" type="checkbox"/>	16	Fire Door - 00016	Existing/In Use	Fire Doors	RESUSCITATION TROLLEY	R_oss Hall Hospital
<input type="checkbox"/>	17	Fire Door - 00017	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R_oss Hall Hospital
<input type="checkbox"/>	18	Fire Door - 00018	Existing/In Use	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R_oss Hall Hospital

View Edit Delete  
Clear Selection Select All

10 of 25 selected

## 5 A new form will pop up showing you the fields you can edit for Physical Info.

Bulk Edit 10 Assets

### Physical Info

Alt Reference ID *	<input type="checkbox"/>	Change to:	Alt Reference ID
Asset Health	<input type="checkbox"/>	Change to:	Asset Health
Asset Description *	<input type="checkbox"/>	Change to:	Asset Description
Asset Status *	<input type="checkbox"/>	Change to:	Asset Status
Serial Number	<input type="checkbox"/>	Change to:	Serial Number
Barcode	<input type="checkbox"/>	Change to:	Barcode
Asset Type *	<input type="checkbox"/>	Change to:	Asset Type
Asset Sub Type	<input type="checkbox"/>	Change to:	Asset Sub Type
Model	<input type="checkbox"/>	Change to:	Model
Manufacturer	<input type="checkbox"/>	Change to:	Manufacturer
Unit	<input type="checkbox"/>	Change to:	Unit

## 6 Financials

Current Application

Unit  Change to: Unit

Quantity \*  Change to: Quantity

**Financials**

Date Purchased  Change to: Date Purchased

Date Delivered  Change to: Date Delivered

Warranty Expires  Change to: Warranty Expires

Reduction Value  Change to: Reduction Value

Current Value  Change to: Current Value

Replacement Cost Planned  Change to: Replacement Cost Planned

Purchase Cost  Change to: Purchase Cost

Date Accepted  Change to: Date Accepted

Reduction Period (Years)  Change to: Reduction Period (Years)

Removal Date  Change to: Removal Date

## 7 And Location

Replacement Cost Planned  Change to: Replacement Cost Planned

Purchase Cost  Change to: Purchase Cost

Date Accepted  Change to: Date Accepted

Reduction Period (Years)  Change to: Reduction Period (Years)

Removal Date  Change to: Removal Date

Replacement Cost  Change to: Replacement Cost

**Location**

Location\*

Region

Site

Building

Floor

Room

8

To begin, identify the field you wish to update and toggle the "change to" switch to on.

Bulk Edit | 10 Assets

Physical Info

Field	Change to
Alt Reference ID *	Alt Reference ID
Asset Health	Asset Health
Asset Description *	Asset Description
Asset Status *	Asset Status
Serial Number	Serial Number
Barcode	Barcode
Asset Type *	Asset Type
Asset Sub Type	Asset Sub Type
Model	Model
Manufacturer	Manufacturer
Unit	Unit

9

The box on the right will then become active allowing you to choose/enter a new value. As displayed, if you wish to remove data from this field in your asset selection, you can leave the field blank and any existing data will be cleared.

Bulk Edit | 10 Assets

Physical Info

Field	Change to
Alt Reference ID *	Alt Reference ID
Asset Health	Leave blank to clear
Asset Description *	Asset Description
Asset Status *	Asset Status
Serial Number	Serial Number
Barcode	Barcode
Asset Type *	Asset Type
Asset Sub Type	Asset Sub Type
Model	Model
Manufacturer	Manufacturer
Unit	Unit

## 10 Otherwise update the necessary fields, some will be drop downs.

Current Application

Bulk Edit 10 Assets

### Physical Info

Alt Reference ID *	<input type="checkbox"/>	Change to:	Alt Reference ID
Asset Health	<input checked="" type="checkbox"/>	Change to:	Leave blank to clear
Asset Description *	<input type="checkbox"/>	Change to:	Not Set
Asset Status *	<input type="checkbox"/>	Change to:	Good
Serial Number	<input type="checkbox"/>	Change to:	Average
Barcode	<input type="checkbox"/>	Change to:	Risk
Barcode	<input type="checkbox"/>	Change to:	Barcode
Asset Type *	<input type="checkbox"/>	Change to:	Asset Type
Asset Sub Type	<input type="checkbox"/>	Change to:	Asset Sub Type
Model	<input type="checkbox"/>	Change to:	Model
Manufacturer	<input type="checkbox"/>	Change to:	Manufacturer
Unit	<input type="checkbox"/>	Change to:	Unit

## 11 Others free text.



### Physical Info

Alt Reference ID *	<input type="checkbox"/>	Change to:	Alt Reference ID
Asset Health	<input checked="" type="checkbox"/>	Change to:	Average
Asset Description *	<input type="checkbox"/>	Change to:	Asset Description
Asset Status *	<input type="checkbox"/>	Change to:	Asset Status
Serial Number	<input type="checkbox"/>	Change to:	Serial Number
Barcode	<input checked="" type="checkbox"/>	Change to:	Leave blank to clear
Asset Type *	<input type="checkbox"/>	Change to:	Asset Type
Asset Sub Type	<input type="checkbox"/>	Change to:	Asset Sub Type
Model	<input type="checkbox"/>	Change to:	Model
Manufacturer	<input type="checkbox"/>	Change to:	Manufacturer
Unit	<input type="checkbox"/>	Change to:	Unit
Quantity *	<input type="checkbox"/>	Change to:	Quantity

## 12 Or date and currency fields.

Quantity *	<input type="checkbox"/> Change to:	Quantity
<b>Financials</b>		
Date Purchased	<input type="checkbox"/> Change to:	Date Purchased
Date Delivered	<input type="checkbox"/> Change to:	Date Delivered
Warranty Expires	<input type="checkbox"/> Change to:	Warranty Expires
Reduction Value	<input type="checkbox"/> Change to:	Reduction Value
Current Value	<input checked="" type="checkbox"/> Change to:	£ 100
Replacement Cost Planned	<input type="checkbox"/> Change to:	Replacement Cost Planned
Purchase Cost	<input type="checkbox"/> Change to:	Purchase Cost
Date Accepted	<input type="checkbox"/> Change to:	Date Accepted
Reduction Period (Years)	<input type="checkbox"/> Change to:	Reduction Period (Years)
Removal Date	<input type="checkbox"/> Change to:	Removal Date
Replacement Cost	<input type="checkbox"/> Change to:	Replacement Cost

## 13 To update an asset selections location click **change to** in the location section at the bottom of the screen.

<input type="checkbox"/> Change to:	Purchase Cost
<input type="checkbox"/> Change to:	Date Accepted 
<input type="checkbox"/> Change to:	Reduction Period (Years)
<input type="checkbox"/> Change to:	Removal Date 
<input type="checkbox"/> Change to:	Replacement Cost

<input checked="" type="checkbox"/> Change to:	
--	--

Cancel Save Changes

14

This will allow you to use the location picker to choose a new location or search for one.

Purchase Cost	<input type="checkbox"/>	Change to:	Purchase Cost
Date Accepted	<input type="checkbox"/>	Change to:	Date Accepted
Reduction Period (Years)	<input type="checkbox"/>	Change to:	Reduction Period (Years)
Removal Date	<input type="checkbox"/>	Change to:	Removal Date
Replacement Cost	<input type="checkbox"/>	Change to:	Replacement Cost

**Location**

Location\*

Region

Site

Building

Floor

Room

15

In this example we have searched for the word "office" and are selecting "Main Office Room".

Purchase Cost	<input type="checkbox"/>	Change to:	Purchase Cost
Date Accepted	<input type="checkbox"/>	Change to:	Date Accepted
Reduction Period (Years)	<input type="checkbox"/>	Change to:	Reduction Period (Years)
Removal Date	<input type="checkbox"/>	Change to:	Removal Date
Replacement Cost	<input type="checkbox"/>	Change to:	Replacement Cost

**Location**

Location\*

- [-] [📍] Ross Hall Hospital Main, RHH00S1
  - [-] [📄] Reception Block, RHH00B1
    - [-] [📄] Ground Floor, RHH00F1
      - [📄] Main Office Room, RHH00R1
- [-] [📍] Micad Demo Region, R..1
  - [-] [📍] Micad Demo Site, S1

16 Once you have made all your changes click "Save Changes".

The screenshot shows a software interface with a list of assets. On the left, there are five toggle switches, each labeled "Change to:" followed by a text input field. The inputs are: "Purchase Cost", "Date Accepted" (with a calendar icon), "Reduction Period (Years)", "Removal Date" (with a calendar icon), and "Replacement Cost". Below this is a search bar containing "om, RHH00R1". A list of assets is displayed below the search bar, each with a colored icon and a label: "R..oss Hall Hospital, R..HH00A1" (purple), "Ross Hall Hospital Main, RHH00S1" (green), "Reception Block, RHH00B1" (orange), "Ground Floor, RHH00F1" (blue), and "Main Office Room, RHH00R1" (yellow). At the bottom right, there are two buttons: "Cancel" and "Save Changes". The "Save Changes" button is highlighted with a yellow circle.

17 A confirmation box will appear asking you to confirm your changes. If you are happy click confirm.

The screenshot shows the same software interface as in step 16, but with a "Confirm" dialog box overlaid in the center. The dialog box has a title "Confirm" and contains the following text: "For assets: 7, 8, 9, 10, 11, 12, 13, 14, 15, 16". Below this, it says "The following changes will be performed:" followed by a table of changes:

Asset Health	Average
Barcode	1234567
Current Value	£100.00
Location	R..oss Hall Hospital, R..HH00A1 Ross Hall Hospital Main, RHH00S1 Reception Block, RHH00B1 Ground Floor, RHH00F1 Main Office Room, RHH00R1

At the bottom of the dialog box, there are two buttons: "CANCEL" and "CONFIRM". The "CONFIRM" button is highlighted with a yellow circle. The background interface is dimmed.

18

You will be returned to the Asset Register and a confirmation message will display confirming those assets were edited successfully.

The screenshot shows the 'Asset Register' page with a green confirmation banner at the top: 'Assets successfully edited.' The page includes a search bar with the text 'Try searching Description contains Fire Alarm and Building is Main Block'. Below the search bar, there are filters for 'All Assets' (84,153), 'Individual Assets' (84,014), and 'Asset Groups' (139). A table of assets is displayed with columns: ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. The table contains 14 rows of data, including assets like 'Fire Door - 00004' (Broken), 'Fire Door - 00005' (Broken), 'Fire Door - 00006' (Broken), 'Fire Door - 00007' (Expired), and several 'Existing/In Use' fire doors.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
4	Fire Door - 00004	Broken	Fire Doors	ANAESTHETICS GEN EQUIP	C..TestRegionLoc34
5	Fire Door - 00005	Broken	Fire Doors	BOYLES MACHINE	R..oss Hall Hospital
6	Fire Door - 00006	Broken	Air Handling Unit	DENTAL ANAESTHETIC EQUIP	R..oss Hall Hospital
7	Fire Door - 00007	Expired	Fire Doors	RESUSCITATION TROLLEY	R..oss Hall Hospital
8	Fire Door - 00008	Existing/In Use	Fire Doors	TestAV-ST	R..oss Hall Hospital
9	Fire Door - 00009	Existing/In Use	Air Handling Unit	RESUSCITATION TROLLEY	R..oss Hall Hospital
10	Fire Door - 00010	Existing/In Use	Extractor Fan	RESUSCITATION TROLLEY	R..oss Hall Hospital
11	Fire Door - 00011	Existing/In Use	Fire Door - 60min	INCUBATOR	R..oss Hall Hospital
12	Fire Door - 00012	Existing/In Use	Air Handling Unit	PULMONARY FUNCTION REC	R..oss Hall Hospital
13	Fire Door - 00013	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	R..oss Hall Hospital
14	Fire Door - 00014	Existing/In Use	Fire Door - 30min	RESUSCITATION TROLLEY	R..oss Hall Hospital

## Deleting Assets

19

With the relevant assets selected in the same manor as above.

The screenshot shows the 'Asset Register' page with a list of assets. The table has columns: ID, DESCRIPTION, STATUS, TYPE, SUB TYPE, and REGION. The table contains 18 rows of data. The first 17 rows are 'Fire Door' assets with various statuses (Existing/In Use, Disposed, Expired). The 18th row is 'deepaktesting12345677' (Existing/In Use, Fire Door - 30min, BOYLES MACHINE, Tartarian Empir). The 19th row is '12345789jdcsssc' (Disposed, Air Handling Unit, RESUSCITATION TROLLEY, C..TestRegionLoc). The 20th row is 'testingbydeepak' (Expired, Kingsway House DVR, INCUBATOR, Tartarian Empir). The 21st row is 'resare' (Disposed, Pressure Vessel on DHW Heater, R..oss Hall Hos). The 22nd row is 'test24e232' (Existing/In Use, Passenger Lift, R..oss Hall Hos). The 23rd row is 'wetret' (Disposed, Passenger Lift, R..oss Hall Hos). At the bottom, there are buttons for 'View', 'Edit', and 'Delete', and a '3 of 25 selected' indicator.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
430122	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430123	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430124	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430125	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430126	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430127	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430128	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430129	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430130	Fire Door	Existing/In Use	Fire Doors		R..oss Hall Hos
430131	deepaktesting12345677	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	Tartarian Empir
430133	12345789jdcsssc	Disposed	Air Handling Unit	RESUSCITATION TROLLEY	C..TestRegionLoc
430134	testingbydeepak	Expired	Kingsway House DVR	INCUBATOR	Tartarian Empir
430147	resare	Disposed	Pressure Vessel on DHW Heater		R..oss Hall Hos
430148	test24e232	Existing/In Use	Passenger Lift		R..oss Hall Hos
430149	wetret	Disposed	Passenger Lift		R..oss Hall Hos

## 20 Click "Delete"

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION	
<input type="checkbox"/>	430122	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input type="checkbox"/>	430123	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input type="checkbox"/>	430124	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input type="checkbox"/>	430125	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input type="checkbox"/>	430126	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input type="checkbox"/>	430127	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input checked="" type="checkbox"/>	430128	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input checked="" type="checkbox"/>	430129	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input checked="" type="checkbox"/>	430130	Fire Door	Existing/In Use	Fire Doors	R.oss Hall Hos	
<input type="checkbox"/>	430131	deepaktesting12345677	Existing/In Use	Fire Door - 30min	BOYLES MACHINE	Tartarian Empir
<input type="checkbox"/>	430133	12345789jgdcsssc	Disposed	Air Handling Unit	RESUSCITATION TROLLEY	C.TestRegionLc
<input type="checkbox"/>	430134	testingbydeepak	Expired	Kingsway House DVR	INCUBATOR	Tartarian Empir
<input type="checkbox"/>	430147	resare	Disposed	Pressure Vessel on DHW Heater		R.oss Hall Hos
<input type="checkbox"/>	430148	test24e232	Existing/In Use	Passenger Lift		R.oss Hall Hos
<input type="checkbox"/>	430149	wetret	Disposed	Passenger Lift		R.oss Hall Hos

3 of 25 selected

## 21 A confirmation box will appear asking you to confirm your selection for deletion.

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION	SITE
430122	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430123	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430124	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430125	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430126	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430127	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430128	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430129	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430130	Fire Door				R.oss Hall Hospital	Ross Hall Hospital Mai
430131	deepaktesting12345677			BOYLES MACHINE	Tartarian Empire	Lost world
430133	12345789jgdcsssc			RESUSCITATION TROLLEY	C.TestRegionLoc34	Jason
430134	testingbydeepak			INCUBATOR	Tartarian Empire	Lost world
430147	resare	Disposed	Pressure Vessel on DHW Heater		R.oss Hall Hospital	Ross Hall Hospital Mai
430148	test24e232	Existing/In Use	Passenger Lift		R.oss Hall Hospital	Ross Hall Hospital Mai
430149	wetret	Disposed	Passenger Lift		R.oss Hall Hospital	Ross Hall Hospital Mai
430150	Fire Door - 00002	Stolen	Fire Doors	RESUSCITATOR RESPIRATRY	R.oss Hall Hospital	Ross Hall Hospital Mai

Are you sure you want to delete (3) assets:

- 430128 - Fire Door
- 430129 - Fire Door
- 430130 - Fire Door

Rows per page: 25 | 84,126 - 84,150 of 84,153 | 1 ... 3365 3366 33

22

Once confirmed a confirmation message will be displayed.

Current Application  
Asset

Assets successfully deleted.

### Asset Register

Viewing: Default [Create View](#)

Try searching Description contains Fire Alarm and Building is Main Block

Show: All Assets 84,150 Individual Assets 84,011 Asset Groups 139 Display

ID	DESCRIPTION	STATUS	TYPE	SUB TYPE	REGION
430113	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430114	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430115	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430116	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430117	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430118	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430119	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430120	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430121	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430122	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital
430123	Fire Door	Existing/In Use	Fire Doors		Ross Hall Hospital